



SCALE: 1" = 50'



TYPICAL ROAD CROSS SECTION
Scale 1/4" = 1'

MONTGOMERY COUNTY MARYLAND
DEPARTMENT OF PUBLIC WORKS

*** FINAL APPROVAL**

DATE Nov. 3 19 62
BY [Signature]

* Subject to necessary easements

SD# D-27,61164-Y
WASHINGTON SUBURBAN SANITARY COMMISSION
APPROVED OCTOBER 20, 1961
FOR STORM DRAINS ONLY

SUBJECT TO PRIOR INSTALLATION OF WATER & SEWER AND PAYMENT FOR MOVING ANY W.S.C. STRUCTURES AFFECTED.

THE STORM DRAINAGE STRUCTURES SHOWN ON THIS PLAN ARE APPROVED AS TO DESIGN AS A COMPONENT PART OF THE STORM DRAINAGE SYSTEM FOR THIS DRAINAGE AREA. THIS COMMISSION ASSUMES NO RESPONSIBILITY WHATSOEVER FOR ANY DAMAGE WHICH MAY BE CAUSED TO ADJACENT PROPERTY OWNERS, OR TO OWNERS DOWNSTREAM, BY REASON OF THE INSTALLATION OF THE DRAINAGE STRUCTURES SHOWN HEREON.

[Signature]
SENIOR DESIGNING ENGINEER

All paving to be constructed in accordance with Montgomery County Department of Public Works Standards and Specifications.

All curbs to have radius of 25' at street corners, unless otherwise indicated.

Elevations indicated: 233.1 denote elevation of top of curb around filter curbs, P.C.s, P.T.s, and middle.

Standard curb 10A shall be used for curb returns and curb sections which include inlets. A 20' transition between standard curb 10C & 10A beyond P.C.s & P.T.s shall be used; all other curbs shall be 10C.

Refer to approved Storm Drainage Plans and approved C.I. street grades of _____ for further information in this area.

Arrows → indicate direction of flow.

"X" with dimension indicates location of CL of driveway.

NOTE:
This is a re-draft of part of a layout on another approved plot.

PIPE SCHEDULE		
DIA.	TYPE	LENGTH
15	RCCP	52
18	RCCP	404
21	RCCP	102

STRUCTURE		SCHEDULE	
No.	TYPE	ELEV.	REMARKS
2	B-15	330.4	WSSC STD. DETAIL # 60742
4	B-15	330.6	" " " " "
5	B-MH	330.5	" " " " "
6	EW	"	" " " " " @ Conc. Paving

DEVELOPERS:
STANLEY E. HANEY & JAMES B. LATTA
2912 WOODSTOCK AVE.
SILVER SPRING, MD.

KORNGAY ASSOCIATES, INC.
ENGINEERS, LAND PLANNERS, SURVEYORS
SILVER SPRING, MARYLAND

**STORM DRAINAGE & PAVING
PLAN & PROFILE**

HERMITAGE HEIGHTS
MONTGOMERY COUNTY, MARYLAND

SCALE: AS SHOWN	DESIGNED BY: HILLIARD	APPROVED BY: [Signature]	DATE: DEC. 1960
JOB NO. 60-42	DRAWN BY: WONSOCK	CHECKED BY: [Signature]	SHEET NO. 1 of 1

DRAWING NO. 60-42

CE487-623-1